

A

B

C



D

E

F

12345678

Rev.Mark	Description	Date
△B	--	xx/xx/xx




Note
1.Finish:Liquid Painting/Texture.
Meet Storage Test Without any damage.
(Temp.90°C Humidity95%R.H 24Hrs)
2.Color:Silver. Silver-Texture(dE≤1.2).
3.Packaged:Carton/EPE.
4.Comply with ROHS.

-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
NO	Mark	Description	Q'ty

A3	A2	A1	Specified Tolerance			
-	-	-	Length	Class 1	Class 2	Class 3
			0.5~<6	±0.05	±0.1	±0.15
			6~<30	±0.1	±0.2	±0.25
			30~<120	±0.2	±0.3	±0.35
			120~<180	±0.3	±0.4	±0.45
			180~<315	±0.4	±0.5	±0.55
			315~<500	±0.5	±0.6	±0.65
			500~	±0.6	±0.7	±0.75

<div>MOXA® Tel:+886-2-89191230 Fax:+886-2-89191231 www.moxa.com</div>	Designer	Projection	Unit	mm	Tolerance	Class 2	Product Model	V2416A		Frame	A3
	Albert		Scale	1 : 1	Material	Assembly	Drawn Name	V2416A System Dimension			
			Date	2014-05-14	File Name	2D_V2416A	Product No.	-		Ver.	1.0



限制區無需印出

PANTONE 3275

請參考MOXA標準色卡


PANTONE Black

White(含MOXA Logo)

印刷為黑色

機殼為銀色

文印字以清晰為主,不可模糊



Power Input

DC 12-48V \equiv

	P1	P2	P3	P4
TX	○	○	○	○
RX	○	○	○	○

RS-232/422/485



P2




P4



P1



P3



Reset

